



Technical Data



smartDRAFT™ TAP

Short version MAX	
Flow rate ¹	2.2 l/minute at pre-set pressure of 1.1 bar
Weight	2.3 kg
Dimensions	
Height	186 mm
Width	124 mm
Length	195 mm

Long version MINI/TROPICAL	
Flow rate ¹	1.8 l/minute at pre-set pressure of 1.1 bar
Weight	1.6 kg
Dimensions	
Height	186 mm
Width	124 mm
Length	346 mm

¹ for all beers with 4.5 – 5.5 g CO₂/l in a temperature range of 3 – 8 °C



smartDRAFT™ One-way beer line

Long version MAX	
Length	1200 mm
Weight	40 g

Short version MINI/TROPICAL	
Length	270 mm
Weight	20 g



smartDRAFT™ KEG

Content	10.3 l/2.72 US gal
Filling volume	10 l
Weight	ca. 4.9 kg
Dimensions	
Height	411 mm
External Ø	253 mm
Material grades for stainless steel liner	standard: mat. no. 1.4301, AISI 304 special: mat. no. 1.4571, AISI 316
Top and bottom rings	PP (polypropylene), UV-stabilised, recycleable material
PP colouring	standard: black, other colours available on request
Neck and fitting	smartDRAFT™ safety system
Operating overpressure	max. 3 bar
Test pressure	approx. 9 bar overpressure
Safety burst point triggering pressure	25 ± 7 bar overpressure
Numbering	standard
Coding (optional)	Character code datixPLUS/transponder/barcode
Ecology	reusable system, all parts are recycleable



smartDRAFT™ MINI

Dimensions	
Height	605 mm
Width	405 mm
Depth / with drip tray	365/500 mm
Weight	11.5 kg



SMARTDRAFT™ TROPICAL

Dimensions	
Height	610 mm
Width	405 mm
Depth / with drip tray	575/715 mm
Weight	30 kg
Tapping temperature ¹	3 °C to 8 °C
Cooling time ¹	3 h
Room temperature	10 °C – 40 °C
Nominal voltage / frequency	230 V/50 Hz
Wattage	175 W
Power consumption	0.5 kWh/day
Compressor rating ²	140 W
Fan volume flow rate	130 m ³ /h
Coolant	R134a
Coolant amount	0.08 kg

¹ to 8 °C at 20 °C room temperature/beer storage temperature ² at 0 °C evaporation temperature



smartDRAFT™ MAX

Dimensions	
Height (bar)	1070 mm
Height (incl. tower)	1585 mm
Width	600 mm
Depth	600 mm
Weight	80 kg
Cooling capacity	4 smartDRAFT™ KEGs, 10 l each
Tapping temperature ¹	3 °C – 8 °C
Cooling time ¹	15 h
Room temperature	10 °C – 32 °C
Nominal voltage/frequency	230 V/50 Hz
Wattage	160 W
Power consumption	3 kWh/day
Compressor rating ²	140 W
Fan volume flow rate	130 m ³ /h
Coolant	R134a
Coolant amount	0.165 kg

¹ to 8 °C at 20 °C room temperature/beer storage temperature ² at 0 °C evaporation temperature

Fresh draught beer. Any place. Any time

Experience real flavour

Two-thirds of all beer drinkers prefer the flavour of draught beer to bottled beer. So it's a great pity that in lots of restaurants and catering businesses, so many of them are not able to enjoy the full flavour of their favourite drink. A dispensing system that is too big and consequently under-used, that has the wrong settings, insufficient hygiene and is operated by inexperienced bar staff leads to poor dispensing quality and a disappointing drink.

smartDRAFT™ :

So that beer tastes the way beer should!

Open up new possibilities

smartDRAFT™: top quality guarantees pure enjoyment, whether you use it as an alternative to an existing bar or as an additional dispensing point for special beers or trendy drinks, or even as a mobile bar for outdoor events.

Open up new market opportunities for your business by offering fresh draught beer in premium quality even where, up to now, only bottles were available!



smartDRAFT™ KEG



smartDRAFT™ TAP



smartDRAFT™ MINI & TROPICAL



smartDRAFT™ MAX

The benefits that make the difference

For breweries, their customers in the restaurants, catering business, the retail trade and, above all, for consumers, smartDRAFT™ offers a great range of convincing benefits.

Flavour of the highest quality

- Lastingly fresh draught beer flavour and best dispensing quality
- Perfect drinking temperature, all the time
- Perfect hygiene thanks to the one-way beer line
- Integrated CO₂ supply

Economical dispensing system

- Ideal for smaller restaurants and catering businesses
- Low investment costs
- No tapping wastage
- No cleaning required for beer lines and tap, no servicing and maintenance costs
- New sales potential due to mobile dispensing

Modern marketing

- High-quality and elegant design – fit for the finest restaurants
- Ideal advertising space, direct access to customers
- Premium quality increases sales and customer loyalty